

Material Safety Data Sheet

Revision Date Prepared by Technical Information

November 9, 2010 Patti Rogers 1-800-201-8822 or <u>support@mgchemicals.com</u>

Head OfficeEmergency9347 - 193 Street, Surrey, B.C., V4N 4E7Phone Canutech (613) 996-6666 Collect 24 hrs

For updates please download from www.mgchemicals.com or fax requests to 1-800-708-9888

Section 1: Product Identification

MSDS Code: 421 - liquid Name: Liquid Tin

Related Part Numbers: 421-125ML, 421-500ML

Use: Tin plates copper circuits.

Section 2: Hazardous Ingredients

CAS#	Chemical Name	Percentage by weight	ACGIH TWA	Osha Pel	Osha Stel
16872-11-0	Fluoroboric Acid	9-11%	2.5mg/m ³	2.5mg/m ³	N/E
13814-97-6	Stannous Fluoroborate	9-11%	2mg/m ³	2mg/m³	N/E
62-56-6	Thiourea	4-6%	2.5mg/m^3	N/E	N/E

Section 3: Hazards Identification

NFPA Ratings: Health 3 Flammability 0 Reactivity 1
HMIS Ratings: Health 3 Flammability 0 Physical Hazard 1

Eyes: May cause severe eye burns.

Skin: May cause severe burns, dermatitis (red, cracked, irritated skin), and ulceration. May cause allergic

skin reactions.

Inhalation: May cause pulmonary irritation, irritation of the mucus membranes, coughing, and a sore throat.

Nausea, headaches, and vomiting may also occur. Inhalation of large doses may damage the tissues

of the respiratory system resulting in chemical induced inflammation and pulmonary edema.

Ingestion: May cause severe burns to the mouth, throat, and esophagus. Thiourea is shown to be toxic via

ingestion and shows the following systemic effects: hemorrhage and other adverse effects on the

blood system (i.e. Anemia, bone marrow depression)

Chronic: Chronic exposure to thiourea may cause tumors of the liver.

Section 4: First Aid Measure

Eyes: Remove contact lenses. Flush with water or saline for 20 minutes. Get medical aid.

Skin: Wash skin with large quantities of soap and water. Get medical aid.

Inhalation: Immediately remove from exposure to fresh air. If not breathing, give artificial respiration. If breathing

is difficult, give oxygen. Get medical aid.

Ingestion: Do not induce vomiting. If conscious give 1-2 glasses of water. Get medical aid immediately.

Section 5: Fire Fighting Measures

Autoignition Temperature: N/A Flash Point: N/A LEL / UEL: N/A

Extinguishing Media: Water spray, foam, Halon, Carbon Dioxide, and Dry chemical.

General Information: Will not burn.



Section 6: Accidental Release Measures

Spill Provide adequate ventilation. Wear appropriate personal protection. Sprinkle absorbent compound onto Procedure: spill, then sweep into a plastic container. Wipe up further residue with paper towel and place into

container. Wash spill area with soap and water.

Section 7: Handling and Storage

Handling: Wash thoroughly after handling. Avoid contact with eyes, skin, and clothing. Do not ingest or inhale. Do

not expose container to heat or flame.

Storage: Keep away from sources of ignition. Store in a cool, dry, well-ventilated area, away from incompatible

substances.

Section 8: Exposure Controls

Routes of entry: Eyes, ingestion, inhalation, and skin.

Use adequate general or local exhaust ventilation to keep airborne concentrations below exposure Ventilation:

Personal Wear appropriate protective eyeglasses or chemical safety goggles. Wear appropriate protective

Protection: clothing to prevent skin contact. Use a NIOSH approved respirator when necessary.

Section 9: Physical and Chemical Properties

Physical Liquid **Evaporation** Similar to Odor: Pungent Solubility in Soluble State: water: Rate: water

Boiling 100°C Vapor 18mm hg Specific 1.12 Vapor Equal to Water **pH**: <1

Point: Gravity: Pressure: @ 20°C Density: Air=1

Section 10: Stability and Reactivity

Stability: Stable at normal temperatures and pressures.

Conditions to avoid: Extreme heat may cause product to decompose, producing toxic fumes.

Alkali, alkaline earth metals and other water incompatible substances, strong bases, Incompatibilities:

strong metals, and strong oxidizers.

Polymerization:

Decomposition: Halogens, halogen acids, possibly carbonyl halides.

Section 11: Toxicological Information

Sensitization: (effects of repeated

exposure)

sterility):

Exposure to Thiourea may cause allergic skin reactions.

Carcinogenicity: (risk of cancer)

Thiourea is a suspected cancer causing agent; IARC group 2B (animal

sufficient evidence); TDLo 151000g/kg/52 weeks (rat)

Teratogenicity: (risk of malformation in an unborn fetus)

Stannous Fluoroborate

Thiourea has been reported to cause teratogenic effects in humans or during experimental studies on animals at relatively high doses; TDLo 4800 mg/kg

Reproductive Toxicity (risk of

Thiourea has been reported to cause reproductive effects in humans or during

experimental studies on animals

Mutangenicity: (risk of heritable

genetic effects):

Lethal Exposure Concentrations: Ingestion Inhalation Skin Inhalation (LD50): (LD50): (TCLo): (LC50):

100 mg/kg N/E N/E N/E Fluoroboric Acid Rat

N/E 25 mg/m3/17W Thiourea 125 mg/kg N/E N/E

(intermittent) Rat

N/E

Rat

N/E

N/E



Section 12: Ecological Information

General Information:

Volatile Organic compounds, % by weight: 8.1%
Volatile Organic compounds, grams per litre: 90.72 g/L

Section 13: Disposal Information

General Dispose of in accordance with all local, provincial, state, and federal regulations. Water runoff

Information: can cause environmental damage.

Section 14: Transportation Information

Ground: (all sizes 500ml or smaller)

Consumer Commodity, ORM-D

Air:

Shipper must be trained and certified. Refer to CFR 49 (USA), and TDG regulations (Canada).

Shipping Name: FLUOROBOROIC ACID, UN number: 1775, Class: 8, Packing Group: II.

For IATA, follow packing instructions Y809.

Sea:

Shipper must be trained and certified. Refer to IMDG regulations.

Shipping Name: FLUOROBOROIC ACID, UN number: 1775, Class: 8, Packing Group: II.

Section 15: Regulatory Information

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the MSDS contains all of the information required by the Controlled Products Regulations. CANADA

DSL

All ingredients in this product are listed on the Domestic Substances List

Health Canada

Products produced by MG Chemicals intended for retail display conform to the Canadian Consumer Labeling regulations.

Industry and Science Canada

MG Labels products intended for the workplace to conform to WHMIS labeling regulations. Product identification, net quantity declaration, minimum printing type size heights, and packaging of this product are in compliance.

WHMIS

This product belongs to the following categories: D2A

CAA (Clean Air Act, USA)

This product does not contain any class 1-ozone depletors.

This product does not contain any class 2-ozone depletors.

This product does not contain any chemicals listed as hazardous air pollutants.

USA

SARA (Superfund Amendments and Reauthorization Act of 1986, USA, 40 CFR 372.4)

Thiourea CAS# 62-56-6 is listed under section 313 as a toxic material.

EPCRA (Emergency Planning and Right to Know Act, USA, 40 CFR 372.45

This product contains Thiourea (5%) a toxic chemical subject to the reporting requirements of section 313 Title III of the SARA of 1986 and 40 CFR part 372.

TSCA (Toxic Substances Control Act of 1976, USA)

All substances are TSCA listed.

California Proposition 65 (Chemicals know to cause cancer or reproductive toxicity, May 1, 1997 revision, USA)

This product contains (Thiourea CAS# 62-56-6) a chemical known to the state of California to cause cancer.

EUROPE

RoHS

This product does not contain any lead, cadmium, mercury, hexavalent chromium, PBB's, or PBDE's, and complies with European RoHS regulations.

WEEE

This product is not a piece of electrical or electronics equipment, and is therefore not governed by this regulation.

PAGE 3 / 4 MSDS Code: 421 – Liquid



Section 16: Other Information

Definitions: N/A = not applicable, N/E = not established

Disclaimer: This material safety data sheet is provided as an information resource only. M.G. Chemicals believes the

information contained herein is accurate and compiled from reliable sources. It is the responsibility of the user to verify its validity. The buyer assumes all responsibility of using and handling the product in accordance with federal, state, and local regulations.

PAGE 4 / 4 MSDS Code: 421 - Liquid